

A large, light blue, stylized graphic of the letters "mm" serves as a background for the main title. The letters are rounded and have a soft, glowing appearance.

midtown
COLLECTION

midtown
COLLECTION



...gger nelle filiali sparse per l'Eu-
...mo segno indica la filiale che ha
... che vedi ad esempio dice che i
...ta. Il secondo è la firma perso-
...nte che ha redatto la lettera, in
...raona. Il terzo segno indica l'an-

...dice?
...to la domanda: - Se tu ti pre-
...codice a una qualunque delle
...o immediatamente. Per quan-
...t un agente del Fugger, se non
...are una lettera di credito.

...come agente del Fugger a

...Attivista a Fuga - F

...di credito e sottogruppo a sua

...a il suo lavoro come agente

...che non è un agente del Fugger

...che non è un agente del Fugger

...che non è un agente del Fugger

MIDTOWN COLLECTION

“

Midtown collection ripropone la matericitá delle superfici cementizie contemporanee riprodotte in una palette di colori neutri che ne esaltano l'intensitá dei riflessi e le caratteristiche irregolaritá di profonditá e superficie.

Midtown collection reintroduces the contemporary concrete surface material. A colour palette of natural tones enhances hues intensity and the typical irregularity of colour depth and surface.

”





unicomstarker

SOHO

MIDTOWN COLLECTION



midtown SOHO
60.4 x 120.8 24" x 48"





wall.
midtown UP twenty
20.2 x 20.2 8" x 8"

floor.
midtown SOHO
60.4 x 120.8 24" x 48"





unicomstarker

midtown SOHO
60.4 x 120.8 24" x 48"




unicomstarker

HARLEM

MIDTOWN COLLECTION



midtown HARLEM
60.4 x 60.4 24" x 24"





midtown HARLEM
60.4 x 60.4 24" x 24"






wall_
midtown HARLEM MOSAICO
30.2 x 30.2 12" x 12"

floor_
midtown HARLEM
60.4 x 60.4 + 30.2 x 60.4
24" x 24" + 12" x 24"


unicomstarker

mosaics

MIDTOWN COLLECTION



SOHO



HARLEM



BROOKLYN



QUEENS



wall_
midtown HARLEM MOSAICO
30.2 x 30.2 12" x 12"

floor_
midtown HARLEM
60.4 x 60.4 + 30.2 x 60.4
24" x 24" + 12" x 24"





unicomstarker

BROOKLYN

MIDTOWN COLLECTION



midtown **BROOKLYN**
90 x 90 36" x 36"



midtown BROOKLYN
90 x 90 36" x 36"





midtown BROOKLYN
60.4 x 60.4 24" x 24"



midtown BROOKLYN
90 x 90 36" x 36"





unicomstarker

QUEENS

MIDTOWN COLLECTION



wall_ **midtown DOWN** twenty
20.2 x 20.2 8" x 8"

floor_ **midtown QUEENS**
60.4 x 60.4 24" x 24"



wall_
midtown DOWN twenty
20.2 x 20.2 8" x 8"

floor_
midtown QUEENS
60.4 x 60.4 24" x 24"



wall_
midtown **DOWN** twenty
20.2 x 20.2 8" x 8"

floor_
midtown **QUEENS**
60.4 x 60.4 24" x 24"



wall_
midtown **DOWN** twenty
20.2 x 20.2 8" x 8"

floor_
midtown **QUEENS**
60.4 x 60.4 24" x 24"

unicomstarker

up&down


MIDTOWN COLLECTION




up
sixty




up
twenty



down
sixty



down
twenty



unicomstarker

TECHNICALS

“

Midtown collection è presentato in una vasta gamma di formati rettificati e modulari, funzionali ad ogni schema di posa per garantire la massima libertà progettuale.

Midtown collection is presented in a wide range of rectified sizes, suitable for any laying pattern, guaranteeing full freedom of design.

”

unicomstarker

colours

MIDTOWN COLLECTION



SOHO



HARLEM

unicomstarker

colours

MIDTOWN COLLECTION




BROOKLYN



QUEENS


SIZES



rettificato

60.4 x 120.8
24" x 48"

66



rettificato

90 x 90
36" x 36"

69



rettificato | grip

60.4 x 60.4
24" x 24"

54

55



rettificato

30.2 x 60.4
12" x 24"

51


per materiale rettificato prevedere una fuga di almeno 2 mm sul monoformato e necessariamente 3 mm sul multiformato

for rectified material, we recommend a 2 mm grout at least when using one size only and a 3 mm grout for multisizes laying solution

pour le matériel rectifié prévoir un minimum de 2 mm de joint et 3 mm pour la pose multiformat

fuer rettifiziertes material-monoverlegung wollen sie bitte eine fugen von 2 mm vorsehen – fuer modulverlegung eine fugen von 3 mm

DECORS




mosaico

30.2 x 30.2
12" x 12"

115


100 tessere
tessera 3,05 x 3,05



sixty rettificato

60.4 x 60.4
24" x 24"


61



twenty rettificato ●


20.2 x 20.2
8" x 8"

79



● disponibile nei 9 soggetti
9 subject available

SPECIAL ITEMS




gradino
rettificato | grip

30.2 x 60.4
12" x 24"

33

34




gradone costa retta
rettificato | grip

30.2 x 60.4 x 4
12" x 24" x 1/3"

115

118




gradone ang. costa retta
rettificato | grip

30.2 x 30.2 x 4
12" x 12" x 1/3"

118

120




elemento a L
rettificato | grip

30.2 x 60.4 x 5
12" x 24" x 2"

49

50



battiscopa
smaltato rettificato

7 x 60.4
3" x 24"

15

rettificato

30 x 90
12" x 36"

55

rettificato

30 x 90 x 4
12" x 36" x 1/3"

140

rettificato

30 x 90 x 4
12" x 36" x 1/3"

160

rettificato

30 x 90 x 5
12" x 36" x 2"











96

rettificato

7 x 90
3" x 36"

25

TECHNICALS

| | | | | | | |
|---|---|--------------------------------------|--|--------------------------------------|--|---|
|  | ISO 10545-3 assorbimento d'acqua water absorption | <0.5% | naturale  | DIN 51097 DIN 51130 | coefficiente d'attrito (scivolosità) static coefficient of friction | A R9 |
|  | ISO 10545-4 resistenza alla flessione breaking strength | 35 N/mm ² | grip  | DIN 51097 DIN 51130 | coefficiente d'attrito (scivolosità) static coefficient of friction | A+B+C R12 |
|  | ISO 10545-13 resistenza agli acidi resistance to acid | GLA |  | DCOF BOT 3000 | | > 0.42 |
|  | ISO 10545-12 resistenza al gelo frost resistance | resiste frost proof |  | ISO 10545-2 | planarità surface flatness | ±0.5% |
|  | ISO 10545-14 resistenza alle macchie stain resistance | 4 | | | variazioni cromatiche color shade variations | V3 variazione moderata V3 moderate variation |
|  | spessore thickness | 10mm | | | | |

PACKING

| formato size | | spessore thickness | pezzi/sc pcs/box | m ² /sc sqm/box | kg/sc kgs/box | sc/pl box/pal | m ² /pl sqm/pal | kg/pl kgs/pal |
|-----------------|--|-----------------------|---------------------|-------------------------------|------------------|------------------|-------------------------------|------------------|
| 60.4x120.8 | rettificato | 10 | 2 | 1.46 | 32.00 | 35 | 51.10 | 1120.00 |
| 90x90 | rettificato | 10 | 1 | 0.81 | 19.10 | 36 | 29.16 | 687.60 |
| 60.4x60.4 | rettificato grip | 10 | 4 | 1.46 | 34.00 | 30 | 43.80 | 1020.00 |
| 30.2x60.4 | rettificato | 10 | 6 | 1.09 | 25.00 | 40 | 43.76 | 1000.00 |
| 30.2x30.2 | mosaico | | 11 | 1.00 | 22.95 | 36 | 36.01 | 826.20 |
| 60.4x60.4 | sixty up down | | 4 | 1.46 | 34.00 | 30 | 43.80 | 1020 |
| 20.2x20.2 | twenty up down | | 25 | 1.02 | 23.60 | 56 | 57.12 | 1321.60 |
| 7x60.4 | battiscopa smaltato rettificato | | 12 | | 12.48 | | | |
| 7x90 | battiscopa smaltato rettificato | | 8 | | 12.80 | | | |
| 30.2x60.4 | gradino rettificato grip | | 8 | | 33.20 | | | |
| 30x90 | gradino rettificato | | 4 | | 25.44 | | | |
| 30.2x60.4x4 | gradone costa retta rettificato grip | | 4 | | 21.40 | | | |
| 30x90x4 | gradone costa retta rettificato | | 2 | | 16.30 | | | |
| 30.2x30.2x4 | gradone angolare costa retta grip | | 2 | | 6.70 | | | |
| 30x90x4 | gradone angolare costa retta | | 1 | | 8.95 | | | |
| 30.2x60.4x5 | elemento a L rettificato grip | | 4 | | 20.40 | | | |
| 30x90x5 | elemento a L rettificato | | 2 | | 15.50 | | | |



Ceramics of Italy



unicomstarker®

via flumendosa 7
41042 fiorano modenese
modena italy
T +39 (0)536 926011
F italy +39 (0)536 926038
F world +39 (0)536 926033
F europe +39 (0)536 926023

unicomstarker.com